

206L4 COMPONENT REMAINING TIMES

Registration Number: 5N-BFH
 Serial Number: 52275

Airframe TT : 16068.8
 Update as of: 18-Jul-16

Nomenclature	Part Number	Service Hours	Service Life	TSO / TSI	Remaining Time	Percent Remaining
COMPRESSOR	23051643	2000	INSP	178.4	1821.6	91%
IMPELLER	23076537	15000	RT	5287.1	9712.9	65%
TURBINE	23035128	2000	O/H	2.0	1998.0	100%
# 1 WHEEL	M250-10658	2025	RT	2.0	2023.0	100%
# 2 WHEEL	M250-10227	2025	RT	2.0	2023.0	100%
# 3 WHEEL	6898663	4550	RT	2.0	4548.0	100%
# 4 WHEEL	23066744	4550	RT	2886.5	1663.5	37%
FUEL CONTROL	23087146	2000	O/H	1224.1	775.9	39%
GOVERNOR	23065125	2000	O/H	898.9	1101.1	55%
ENG FUEL PUMP	6896822	3000	O/H	259.3	2740.7	91%
FUEL NOZZLE	23077067	2000	O/H	532.5	1467.5	73%
BLEED VALVE	23073353	1500	O/H	331.2	1168.8	78%
STARTER GENERATOR	23081-018	1600	O/H	87.0	1513.0	95%
M/R HUB	206-011-100-105	1200	INSP	678.6	521.4	43%
M/R HUB	206-011-100-105	2400	O/H	678.6	1721.4	72%
M/R TRUNNION	206-011-120-105	24,000	TO	678.6	23321.4	97%
GRIP	206-011-132-113A	4800	RT	678.6	4121.4	86%
GRIP	206-011-132-113A	4800	RT	4221.9	578.1	12%
RET STRAP	206-310-004-103	1200	RT	678.6	521.4	43%
RET STRAP	206-310-004-103	1200	RT	678.6	521.4	43%
STRAP FITTING	206-011-150-105	2400	RT	678.6	1721.4	72%
STRAP FITTING	206-011-150-105	2400	RT	678.6	1721.4	72%
STRAP PIN	206-011-125-001	1200	RT	678.6	521.4	43%
STRAP PIN	206-011-125-001	1200	RT	678.6	521.4	43%
RETENTION BOLT	206-011-260-101	1200	RT	678.6	521.4	43%
RETENTION BOLT	206-011-260-101	1200	RT	678.6	521.4	43%
M/R BLADE	206-015-001-115	4000	RT	2837.7	1162.3	29%
M/R BLADE	206-015-001-115	4000	RT	2837.7	1162.3	29%
MAST ASSY	206-040-014-107	1500	INSP	430.5	1069.5	71%
MAST ASSY	206-040-014-107	3000	O/H	430.5	2569.5	86%
MAST	206-040-535-109	5000	RT	430.5	4569.5	91%
TRANSMISSION	206-040-004-115	2250	INSP		2250.0	100%
TRANSMISSION	206-040-004-115	4500	O/H	4018.6	481.4	11%
SERVO L/H	206-076-062-103	3600	O/H	430.5	3169.5	88%
SERVO R/H	206-076-062-103	3600	O/H	2487.6	1112.4	31%
SERVO COLL	206-076-062-101	3600	O/H	3226.9	373.1	10%
SWASHPLATE	206-010-450-123	4800	O/H	4012.8	787.2	16%
COLL LEVER	206-010-447-109	4800	RT	4012.8	787.2	16%
SUPPORT	206-010-445-113	4800	RT	4012.8	787.2	16%
SLEEVE	206-010-454-113	4800	RT	4012.8	787.2	16%
IDLER LINK	206-010-446-107	4800	RT	4012.8	787.2	16%
F/W ASSY		3000	O/H		3000.0	100%
INPUT DR SHAFT		5000	INSP		5000.0	100%
CYCLIC TUBE L/H	206-001-193-001	4800	RT	1778.1	3021.9	63%
CYCLIC TUBE R/H	206-001-193-001	4800	RT	1778.1	3021.9	63%
# 2 T/R DRIVE SHAFT		3600	INSP		3600.0	100%

T/R GEARBOX	206-040-402-111	3000	INSP	1106.4	1893.6	63%
T/R GEARBOX	206-040-402-111	6000	O/H	1106.4	4893.6	82%
T/R G/B DUPLEX BEARING	206-040-410-101	3000	RT	1106.4	1893.6	63%
T/R HUB AND BLADE ASSY	206-011-810-151	2500	O/H	943.4	1556.6	62%
T/R YOKE	206-011-819-109	5000	RT	943.4	4056.6	81%
T/R BLADE	206-016-201-135	2500	RT	943.4	1556.6	62%
T/R BLADE	206-016-201-131	2500	RT	943.4	1556.6	62%

62%