

206L4 COMPONENT REMAINING TIMES

Registration Number: 5N-BFV
 Serial Number: 52160

Airframe TT : 21616.3
 Update as of: 18-Jul-16

Nomenclature	Part Number	Service Hours	Service Life	TSO / TSI	Remaining Time	Percent Remaining
COMPRESSOR	23051643	2000	INSP	3.5	1996.5	100%
IMPELLER	23076537	15000	RT	14185.9	814.1	5%
TURBINE	23035128	2000	O/H	3.5	1996.5	100%
# 1 WHEEL	M250-10227	2025	RT	3.5	2021.5	100%
# 2 WHEEL	23032280	2025	RT	3.5	2021.5	100%
# 3 WHEEL	6898663	4550	RT	3.5	4546.5	100%
# 4 WHEEL	23066744	4550	RT	2885.3	1664.7	37%
FUEL CONTROL	23087146	2000	O/H	1116.9	883.1	44%
GOVERNOR	23086751	2000	O/H	633.9	1366.1	68%
ENG FUEL PUMP	6896822	3000	O/H	470.1	2529.9	84%
FUEL NOZZLE	M250-10604	2000	O/H	5.1	1994.9	100%
BLEED VALVE	23073353	1500	O/H	3.5	1496.5	100%
STARTER GENERATOR	23081-018	1600	O/H	3.5	1596.5	100%
M/R HUB	206-011-100-105	1200	INSP	528.8	671.2	56%
M/R HUB	206-011-100-105	2400	O/H	528.8	1871.2	78%
M/R TRUNNION	206-011-120-105	24,000	TO	1527.8	22472.2	94%
GRIP	206-011-132-113A	4800	RT	1527.8	3272.2	68%
GRIP	206-011-132-113A	4800	RT	1527.8	3272.2	68%
RET STRAP	206-310-004-103	1200	RT	528.8	671.2	56%
RET STRAP	206-310-004-103	1200	RT	528.8	671.2	56%
STRAP FITTING	206-011-150-105	2400	RT	528.8	1871.2	78%
STRAP FITTING	206-011-150-105	2400	RT	528.8	1871.2	78%
STRAP PIN	206-011-125-001	1200	RT	528.8	671.2	56%
STRAP PIN	206-011-125-001	1200	RT	528.8	671.2	56%
RETENTION BOLT	206-011-260-101	1200	RT	528.8	671.2	56%
RETENTION BOLT	206-011-260-101	1200	RT	528.8	671.2	56%
M/R BLADE	206-015-001-119	4000	RT	528.8	3471.2	87%
M/R BLADE	206-015-001-119	4000	RT	528.8	3471.2	87%
MAST ASSY	206-040-014-107	1500	INSP	3.5	1496.5	100%
MAST ASSY	206-040-014-107	3000	O/H	3.5	2996.5	100%
MAST	206-040-535-109	5000	RT	3.5	4996.5	100%
TRANSMISSION	206-040-004-115	2250	INSP	2199.1	50.9	2%
TRANSMISSION	206-040-004-115	4500	O/H	2199.1	2300.9	51%
SERVO L/H	206-076-062-103	3600	O/H	2753.5	846.5	24%
SERVO R/H	206-076-062-101	3600	O/H	2882.3	717.7	20%
SERVO COLL	206-076-062-101	3600	O/H	1857.2	1742.8	48%
SWASHPLATE	206-010-450-123	4800	O/H	3224.9	1575.1	33%
COLL LEVER	206-010-447-109	4800	RT	3224.9	1575.1	33%
SUPPORT	206-010-445-113	4800	RT	3224.9	1575.1	33%
SLEEVE	206-010-454-113	4800	RT	3224.9	1575.1	33%
IDLER LINK	206-010-446-107	4800	RT	3224.9	1575.1	33%
F/W ASSY		3000	O/H		3000.0	100%
INPUT DR SHAFT		5000	INSP		5000.0	100%
CYCLIC TUBE L/H	206-001-193-001	4800	RT	206.6	4593.4	96%
CYCLIC TUBE R/H	206-001-193-001	4800	RT	2753.5	2046.5	43%
# 2 T/R DRIVE SHAFT		3600	INSP		3600.0	100%

T/R GEARBOX	206-040-402-111	3000	INSP	2943.9	56.1	2%
T/R GEARBOX	206-040-402-111	6000	O/H	2943.9	3056.1	51%
T/R G/B DUPLEX BEARING	206-040-410-101	3000	RT	2943.9	56.1	2%
T/R HUB AND BLADE ASSY	206-011-810-151	2500	O/H	1126.3	1373.7	55%
T/R YOKE	206-011-819-109	5000	RT	1126.3	3873.7	77%
T/R BLADE	206-016-201-135	2500	RT	1126.3	1373.7	55%
T/R BLADE	206-016-201-131	2500	RT	1126.3	1373.7	55%

64%